<u> Rovers Return pub - Kingsway Christmas Download 2014</u>

A 1/76 scale model of the pub from 'Coronation Street' Download and print. Fasten two sheets to 1.25mm thick mounting card and one to 160gsm card.



The model represents the version of the Rovers Return used for filming from 1982 – 2013, when it was replaced by a new set at the Media City in Trafford.

There are three sheets of parts to be printed along with these instructions. Ensure that the printer is set to print at 100% full size. Sheets RRI and RR2 will need to be glued to 1.25 mm thick mounting card (or possibly two sheets of thinner card). RR thin will need to glued to 160gsm card (about the same thickness as a Christmas card. Use a sharp knife against a steel rule to cut parts out. Use Bostick All Purpose adhesive to glue the parts together.

- Cut out the front / side wall wrap from sheet RR thin. Carefully cut out the various window and door openings.
- Cut out the front and side wall backings from sheet RR I. Glue these to the rear of the front/ side wall wrap, carefully aligning the printed windows to be seen through the openings.
- Fold the two walls to a right angle and glue a bracket inside for strength.
- 4. Cut out the side wall and glue against the rear of the front wall. Use another bracket inside.
- Cut out the two chimney stacks from RR thin. Fold and glue to the chimneys on each side wall. Cut out the window bay. Fold and glue the tabs to the front wall at each end of the white area.
- Cut out the name sign and pillar from sheet RR I. Glue the pillar to the centre of the window bay, and slightly angle the sign outward. Add the canopy ends between sign and wall. Glue the canopy roof on top.
- 7. Cut out the lobby wall and add a piece of the brick wrap from RR thin to the rear. Glue this between the pub door and alleyway.
- SIDE WALL BACKING RRACKETS SIDE WALL WALL WRAP FRONT WALL BACKING FOLDED STACK CANOPY ROOF ALLEY WALL \leq NAME SIGN & PILLAR WINDOW BAY LOBBY WALL WALL WRAP CUT TO SUIT
- Cut out the main roof (note which is the front of the roof). Score lightly along the centre line. Try this for fit before gluing in place. Note that the rear part of the roof will fit *between* the side
- walls. Glue the rear roof in place on top of the side walls, above the lower edge of the main roof.Glue the two chimney stack tops in place. Cut out the six chimney pots together and roll tightly into a tube
- before cutting the six individual pots. Glue three to each chimney. Blacken the tops.
- 10. Glue the remaining brick wrap on the inside of the side wall. Glue the building to the paving base and add the alley wall inside the building. The model is complete.

Designed by John Howe November 2014



Find previous Kingsway Models free Christmas downloads at http://kingswaymodels.webs.com/kitandksheetdownload.htm

KINGSWAY

Find the Kingsway Models range of card buildings at <u>www.kingswaymodels.com</u>





